Protocols seguiment efectes canvi climàtic





MPA ENGAGE

Engaging Mediterranean key actors in Ecosystem Approach to manage Marine Protected Areas to face Climate Change Impacts

Joaquim Garrabou (ICM-CSIC)
SESSIO INFORMATIVA PROCES PARTICIPATIU PLA
D'ADAPTACIO CANVI CLIMÀTIC (22/09/2021)






Mediterrània hotspot canvi climàtic









Mean air temperature anomalies with respect to the period 1880-1899



Mediterrània hotspot canvi climàtic








Why monitoring activities?

AFFECTED How CLIMATE CHANGE IS AFFECTING my MPA? **WILL AFFECT**

Categories of indicators

- 1. Temperature
- 2. Range shift of alien / temperature sensitive species
- 3. Episodic events
- 4. Phenology changes
- 5. Migration changes



OUR PHILOSOPHY



Practical and easy


A restricted set of simple measurements to capture greater dimensions of environmental change.

Common standard tools

To be implemented in the Mediterranean Area, across national borders and jurisdictions.

Engaging local people

Empowering local communities to better understand and manage Climate Change.







Protocol 11 Photogrammetry as monitoring tool for benthic habitats

- **Ecosystem approach**
- **Scientifically robust**
- **Feasibility and cost effectiveness**
 - **Public participation**
































ge effects and impacts

3. Episodic events 4. Phenology changes















SUPPORT MPAS
MANAGEMENT FACE TO
CLIMATE CHANGE AND BEYOND









SETUP OF A NEW VERTICAL

Step 2. Deploy loggers







Sèries de temperatura horaries



Garrabou et al. 2009 Global Change Biology, Cebrian et al. 2011, Kersting et al. 2013 PLoS ONE, Hereu & Kersting 2016, Garrabou et al. 2019 Frontiers Marine Sciences

BUILD BASELINES TRACK CHANGES







Network of mini-loggers IN SITU at High-Frequency

Marine Protected Areas Near-coast Mainland and islands

Multiyear time series Some 20 years long

Vertical profiles 0 to 40 m or more (max 67 m) Also single depth in habitats

than 10 10 years **Collaborative network** years vear Company to the Company of the Compan UNIVERSITAT**

UNIVERSITAT**


Tremer

Openion of Mark Double


Openion of Mark **Marine Scientists:** Pers de Catalogra PARS MARIN COLOR DO POTRÍNO COLOR DO PO **MPA** managers:



YOU: Do you know any other species that recently appeared in the area or increased in its abundance?




Local Ecological Knowledge is the information that people have about the ecosystems where they spend most of their time. The following protocol can be used to interview experienced fishermen or other sea users, to reconstruct historial changes in species abundances and distribution. It can also be used for the early detection of new species.












Kind of ongoing changes at the local, subregional and regional scale



Climate change, biological invasions, and the shifting distribution of Mediterranean fishes: A large-scale survey based on local ecological knowledge

PRIMARY RESEARCH ARTICLE

Global Change Biology WILEY

1320 opportunities to contribute to adapt and mitigate climate change and biodiversity loss crisis













Thank You





MPA Engage





























CLIMATIC HOTSPOT



MEASURABLE IMPACTS

During the 21st century, the basin mean sea surface temperature is expected to **Warm** by 2.7 to 3.8°C and 1.1 to 2.1°C under the RCP8.5 and the RCP4.5 scenarios, respectively (very high confidence).

Marine **heat waves** will very likely increase in spatial extent, become longer, more intense and more severe than today

MEDECC 2020 (conclusions of 190 Mediterranean Scientists)
https://www.medecc.org/first-mediterranean-assessment-report-mar1/>

Warming faster

Invasive species

Changes in species distribution

Mass mortalities

